

## Native Plant List Guide

Below is the list of approved plantings for Collier County.

Plant	Coastal Zone	Mid Zone	Inland Zone
<b>Trees- Large</b>			
Bald cypress ( <i>Taxodium disticum</i> )	X	X	X
Fiddlewood ( <i>Citharexylum fruticosum</i> )	X	X	
Gumbo limbo ( <i>Bursera simaruba</i> )	X		
Hackberry ( <i>Celtis laevigata</i> )	X	X	X
**Jamaica Dogwood ( <i>Piscidia piscipula</i> )	X		
Laurel Oak ( <i>Quercus laurifolia</i> )	X	X	X
**Live oak ( <i>Quercus virginiana</i> )	X	X	X
**Mahogany ( <i>Swietenia mahagoni</i> )	X	X	
Mastic ( <i>Mastichodendron foetidissimum</i> )	X	X	
	X		
Native fig ( <i>Ficus aurea</i> )			
Paradise tree ( <i>Simarouba glauca</i> )	X		
****Red maple ( <i>Acer rubrum</i> )	X	X	X
Royal palm ( <i>Roystonea elata</i> )	X	X	
Seagrape ( <i>Coccoloba uvifera</i> )	X	X	
*Slash pine ( <i>Pinus elliottii</i> )	X	X	X
Sweet gum ( <i>Liquidambar styraciflua</i> )	X	X	X
Sycamore ( <i>Platanus occidentalis</i> )	X	X	X
West indian laurelcherry ( <i>Prunus myrtifolia</i> )	X		
**Wild tamarind ( <i>Lysiloma latisiliquum</i> )	X	X	
Willow bustic ( <i>Dipholis salicifolia</i> )	X	X	?
Wingleaf soapberry ( <i>Sapindus saponaria</i> )	X	X	
<b>Trees- Medium to Small</b>			
Black ironwood ( <i>Krugiodendron ferreum</i> )	X	X	

Blolly ( <i>Guapira discolor</i> )	X		
Buttonwood ( <i>Conocarpus erectus</i> )	X		
*Cabbage palm ( <i>Sabal Palmetto</i> )	X	X	X
Dahoon holly ( <i>Ilex cassine</i> )	X	X	X
East Palatka holly ( <i>Ilex attenuata</i> )	X	X	X
Florida elm ( <i>Ulmus americana</i> )	X	X	X
*Geiger tree ( <i>Cordia sebestena</i> )	X		
*Magnolia ( <i>Magnolia grandiflora</i> )	X	X	X
Milkbark ( <i>Drypetes diversifolia</i> )	X		
*Pigeon plum ( <i>Coccoloba diversifolia</i> )	X		
Satin leaf ( <i>Chrysophyllum oliviforme</i> )	X		
Scrub hickory ( <i>Carya floridana</i> )	X	X	X
Scrub live oak ( <i>Quercus geminata</i> )	X	X	X
Simpson stopper ( <i>Myrcianthes fragrans</i> )	X	X	X
Soldierwood ( <i>Colubrina elliptica</i> )	X		
<b>Shrubs- Large ('B' Buffers)</b>			
Bahama strongbark ( <i>Bouyeria ovata</i> )	X		
Black ironwood ( <i>Krugiodendron ferreum</i> )	X	X	
Buttonwood ( <i>Conocarpus erectus</i> )	X		
Catclaw ( <i>Pithecellobium unguis-cati</i> )	X	X	
Cinnamon bark ( <i>Canella winterana</i> )	X		
Cinnecord Acacia ( <i>Acacia choriophylla</i> )	X	X	
Crabwood ( <i>Ateramnus lucidus</i> )	X	X	
Darling plum ( <i>Reynosa septentriolalis</i> )	X		
Florida privet ( <i>Forestiera segregata</i> )	X	X	?
Golden Dewdrop ( <i>Duranta repens</i> )	X	X	
Jamaica caper ( <i>Capparis cynophallophora</i> )	X	X	

Maiden bush ( <i>Savia bahamensis</i> )	X		
Myrsine ( <i>Myrsine floridana</i> )	X	X	?
Pigeon plum ( <i>Coccoloba diversifolia</i> )	X		
Paurotis palm ( <i>Acoelorrhaphe wrightii</i> )	X	X	
Red berry stopper ( <i>Eugenia confusa</i> )	X		
Seagrape ( <i>Coccoloba uvifera</i> )	X	X	
Wild Lime ( <i>Zanthoxylum tagara</i> )	X	X	
Simpson Stopper ( <i>Myrcianthes fragrans</i> )	X	X	X
Spicewood ( <i>Calyptanthus spp.</i> )	X		
Walters Viburnum ( <i>Viburnum obovatum</i> )	X	X	X
**Wax myrtle ( <i>Myrica cerifera</i> )	X	X	X
Yellow elder ( <i>Tecoma stans</i> )	X	X	?
<b>Shrubs- Medium to Small</b>			
Bay cedar ( <i>Suriana maritima</i> )	X		
Blackbead ( <i>Pithecellobium guadalupense</i> )	X	X	
Coco plum ( <i>Chrysobalanus icaco</i> )	X		
Cordia ( <i>Cordia globosa</i> )	X		
Firebush ( <i>Hamelia patens</i> )	X	X	
Florida privet ( <i>Forestiera segregata</i> )	X	X	?
Golden Dewdrop ( <i>Duranta repens</i> )	X	X	
Jamaica caper ( <i>Capparis cynophallophora</i> )	X	X	
Leather fern ( <i>Acrostichum danaeae-folium</i> )	X	X	
Maiden bush ( <i>Savia bahamensis</i> )	X		
Myrsine ( <i>Myrsine floridana</i> )	X	X	?
Necklace pod ( <i>Sophora tomentosa</i> )	X		
Saw palmetto ( <i>Serenoa repens</i> )	X	X	X
Sea Oxeye Daisy ( <i>Borrchia trutescens</i> )	X		

Seven Year Apple ( <i>Casasia clusiitolia</i> )	X		
Silver saw palmetto ( <i>Serenoa repens</i> 'Cinerea')	X	X	X
Spicewood ( <i>Calypttranthes</i> spp.)	X		
White Indigo Berry ( <i>Randia aculeate</i> )	X	X	
Wild coffee ( <i>Psychotria nervosa</i> )	X	X	

- \* Cabbage palms must be used in groupings of 3 to count towards canopy tree requirements. Palms can only be used for up to 30% of the canopy requirements.
- \*\* Not a good buffer shrub – becomes leggy over time.